# THE UNITED STRATES OF ANTERIOA

TO ALL TO WHOM THESE; PRESENTS SHALL COME:

Holden's Foundation Seeds, Inc.

Tolkereas, there has been presented to the

## Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different tety therefrom, to the extent provided by the Plant Variety Protection Act T. 1542, As Amended, 7 U.S.C. 2321 ET SEQ.)

CORN

'LH185'

In Testimony Winereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C.

this 28th day of February in the year of our Lord one thousand nine fundred and ninety-five.

Allosk

Commissioner

Plant Variety Protection Office

Stant Variety Protection Office Agricultural Marketing Service

yary of Agriculturs

REPRODUCE LOCALLY. Include form namer and ed	ition date on all reproductions.		Cint A77 100 100 100: 0381-0035			
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION			optication is required in order to elemine if a plant variety protection wrificate is to be issued (7 U.S.C. 121). Information is held confidential			
APPLICATION FOR PLANT VARI	ur	till certificate is issued (7 U.S.C. 2428).				
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	N 1 V	ARIETY NAME			
HOLDEN'S FOUNDATION SEEDS, INC			LH185			
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	5. PHONE (include area code)		FOR OFFICIAL USE ONLY NUMBER			
201 N. MAPLEWOOD AVENUE	×					
PO OBX 839 WILLIAMSBURG, IA 52361	(319)668-110	00	Cate			
WILLIAMSBORG, IN 52501	, ,					
8. GENUS AND SPECIES NAME	7. FAMILY NAME (Botanical)		Time			
ZEA MAYS	GRAMINEAE	G	Filing and Examination Fee:			
8. CROP KIND NAME (Common Name)	9. DATE OF DETERMINATION	E	\$			
CORN, FIELD	NOVEMBER 19	991 s	Date			
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FOR	A OF ORGANIZATION (Composition partnership	R E C				
association, etc.)	M Ob Oligination (confound by manning)	Ē	Certificate Fee: \$			
CORPORATION	12. DATE OF INCORPORATIO	¥ È	0			
11. IF INCORPORATED, GIVE STATE OF INCORPORATION  IOWA	1968	~   D	Cate			
	TO CODING IN THIS ADDI ICATION AND DECE	VE ALL PAPE	-RS			
MARK ARMSTRONG PO BOX 839 WILLIAMSBURG, IA 52361  PHONE (include area code): (319)668-1100  14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTRUCTIONS on reverse) a Mark Armstrong (319)668-1100  14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTRUCTIONS on reverse) a Mark Armstrong (319)668-1100  15. Destribit A, Origin and Breeding History of the Variety b. Mark Exhibit B, Novelty Statement c. Mark Exhibit B, Novelty Statement d. Mark Exhibit C, Objective Description of Variety d. Mark Exhibit B, Statement of the Basis of Applicant's Ownership l. Mark Exhibit B, Statement of the Basis of Applicant's Ownership l. Mark Exhibit B, Statement of the Basis of Applicant's Ownership l. Mark Exhibit B, Statement of the Basis of Applicant's Ownership l. Mark Exhibit B, Statement of the Basis of Applicant's Ownership l. Mark Exhibit B, Statement of the Basis of Applicant's Ownership l. Mark Exhibit B, Statement of the Basis of Applicant's Ownership l. Mark Exhibit B, Statement of the Basis of Applicant's Ownership l. Mark Exhibit B, Novelty Statement of the United States*  15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOUL BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See section 83(a) of the Plant Variety Protection Act)						
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FO	R SALE, OR MARKETED IN THE U.S. OR OTHER COUR ATES)	ATHIEST				
NO NO						
<ol> <li>The applicant(s) declare(s) that a viable sample of basic see such regulations as may be applicable.</li> </ol>						
The undersigned applicant(s) is (are) the owner(s) of this seed in section 41, and is entitled to protection under the provision	ns of section 42 of the Plant Variety Protection Act.	the variety is o	distinct, uniform, and stable as required			
Applicant(s) is (are) informed that false representation herein			I			
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR TITLE		DATE			
(I/mold/fold-	PRESIDENT	· · · · · · · · · · · · · · · · · · ·				
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR TITLE		DATE			

## Origin and Breeding History of the Inbred

#### Exhibit A

LH185 was developed from the single cross LH59 x LH123Ht by selfing and using the pedigree system of plant breeding. Yield, stalk quality, root quality, disease tolerance, late plant greenness, late plant intactness, ear retention, pollen shedding ability, silking ability and corn borer tolerance were the criteria used to determine the rows from which ears were selected.

LH59 and LH123Ht, the progenitors of LH185, are both proprietary field corn inbred lines of Holden's Foundation Seeds, Inc. In 1987, Holden's Foundation Seeds, Inc. applied for plant variety protection of LH59. LH59 was give PVP certificate #8700213 on April 28, 1988. In 1983, Holden's Foundation Seeds, Inc. applied for plant variety protection of LH123Ht. LH123Ht was given certificate #8400030 on February 22, 1985. On the following pages are a summary and description of the development of LH185. Also included are copies of pages from Holden's Foundation Seeds, Inc. nursery books. The rows associated with the development of LH185 have been highlighted. Please note the "Ht" designation was dropped from LH123Ht in the nursery books for convenience.

Attached is a statement from Richard Miller of Holden's Foundation Seeds, Inc. stating that the line is stable, uniform and free of variance.

## Uniformity Statement

### Exhibit A

I have observed LH185 during the last four generations it has been increased: 1991 lowa nursery row 7331; 1992 lowa nursery rows 8969-8978; 1993 Hawaii production field #3A1; and 1993 lowa production Harris field. In each of these increases, seeds from the previous generation were planted. LH185 is stable and uniform. The inbred line is also free of variance from within the population.

Richard J. Miller


Plant Breeder and Plant Pathologist


Holden's Foundation Seeds, Inc.

## Origin and Breeding History of the Inbred LH185 = Ex2797 = LH59 x LH123

## Exhibit A

Row/Field Harris	<u>Pedigree</u> LH185	<u>Location</u> Iowa	<u>Year</u> 1993
3A1	LH185	Hawaii	1993
8969-8978	Ex2797	lowa	1992
7331	LH59 x LH123 @ 7	lowa	1991
22302	LH59 x LH123 @ 6	Hawaii	1991
24610	LH59 x LH123 @ 5	lowa	1990
26533	LH59 x LH123 @ 4	Hawaii	1990
23714	LH59 x LH123 @ 3	Hawaii	1989
18352	LH59 x LH123 @ 2	lowa	1988
25562	LH59 x LH123 @ 1	Hawaii	1988
34841	LH59 x LH123	Iowa	1987
32495-32496 32529-32530	LH59 LH123	lowa	1986





2.13 ACRES

OCATION: TAMURA 3A1

Female

PLANTED: 11/27/92

## UPPER IMHOFF NURSERY BLOCK B

order	23 Rows of Waterway LH230 LH230 LH230 LH230 LH230 NC258 NC258 NC258 NC258 NC258 NC258 NC258
6946 8947 6948 8949 6951 6951 6951 6951 6951 6951 6951 695	LHI66 6371-3 M91 LH166 6371-4 M91 LH166 6371-5 M91 LH255 6221-1 M91 LH255 6221-2 M91 LH255 6221-3 M91 LH255 6221-4 M91 LH255 6221-5 M91 LH255 6221-6 M91 LH255 6221-6 M91 LH255 6221-7 M91 LH255 6221-8 M91 LH255 6221-10 M91 LH255 6221-10 M91 LH255 6221-11 M91 LH255 6221-12 M91 LH255 6221-12 M91 LH255 6221-13 M91 LH255 6221-13 M91 LH255 6221-14 M91 LH255 6221-15 M91 LH255 6221-16 M91 LH255 6221-17 M91 LH255 6221-18 M91 LH255 6221-19 M91 LH255
	NAME TO CLM

8986 8987 8988 8989 8989	Ex2798 17030-2 H92 Ex2798 17030-3 H92 Ex2798 17030-4 H92 Ex2799 7337-1 I91
8991 8992 8993 8994	Ex2799 7337-2 191 Ex2799 7337-3 191 Ex2799 7337-4 191 Ex2799 7337-5 191 Ex2799 7337-6 191
8995 8996 8997 8998	Ex2799 7337-7 191 Ex2799 7337-8 191 Ex2799 7337-8 191 Ex2799 7337-9 191 Ex2799 7337-10 191
8999 9000 9001 9002	Ex2800 7342-1 191 Ex2800 7342-2 191 Ex2800 7342-3 191 Ex2800 7342-4 191
9003 9004 9005 9006	Ex2800 7342-5 191 Ex2800 7342-6 191 Ex2800 17032-1 H92 Ex2800 17032-2 H92
9007	Ex2800 17032-3 H92

#### UPPER INHOFF NURSERY BLOCK A

X X X X X X X X X X X X X X X X X X X	LH123 RM@ LH123 RM@	7 25562-11 7 25562-11	-2-1-2-1-1 -2-1-2-1-1 -2-1-2-2-1 -2-1-2-2-1 -2-1-1-1-1 -2-2-1-1-3 -2-2-1-2-3 -2-2-1-2-3 -2-3-1-1-3 -2-3-1-2-3 -2-3-1-2-3 -2-3-1-2-3	22286 222888 2222888 22222990 222229992 222229994 2222229994 2222229994 2222229994 2222229994 2222229994	H91 H91 H91 H91 H91 H91 H91 H91 H91 H91
LH5599999999999999999999999999999999999	LH1233 RM@? LH123 RM@? LH123 RM@? LH123 RM@? LH1233 RM@? LH1233 RM@? LH12233 RRM@? LH1233 RRM@? LH12233 RRM@? LH12	7 25562-11- 7 25562-11- 7 25562-11- 7 25562-11- 7 25562-22- 7 25562-22-	-2-3-3-1-1 -2-3-3-1-3 -2-3-3-2-1 -2-3-3-2-2-3 -2-3-3-2-1 -1-1-2-1-3 -1-1-2-3-1 -1-1-2-3-1 -1-1-2-4-1 -1-1-2-4-1 -1-1-3-1-3 -1-1-3-2-1 -1-1-3-2-1 -1-1-3-2-1 -1-1-3-2-1 -1-1-3-2-1 -1-1-3-2-1 -1-1-3-4-3 1-1-3-4-3 1-1-3-4-3 1-1-2-1-2-1 1-1-2-1-2-1 1-2-1-2-1	22233000 22233000 22233000 22233000 22233300 222233300 22222222	HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
LH599 x x L L L L L L L L L L L L L L L L L	LH123 RM07	25562-22- 25562-22- 25562-22- 25562-22- 25562-22- 25562-22- 25562-22- 25562-25- 25562-25- 25562-25- 25562-25- 25562-25- 25562-25- 25562-25- 25562-25- 25562-25-	1-1-1-2 1-1-1-1-3 1-1-1-2-1 1-1-1-2-2 1-1-1-2-3 1-1-1-3-1 1-1-2-1-2	223330 22233334 22233334 222233334 222233334 22223334 22223334 22223334 22223334 22223334 2222334 2222334 222234 22223 22223 22223 22223 22223 22223 22	H991 H991 H991 H991 H991 H991 H991 H991

#### 1A B2 (90)

```
22285
                     LH132
22286
                     LH59 x LH123 RM06 25562-11-2-1-2-1 24602 I90
22287
22288
22289
                     LH132
                     LH59 x LH123 RM@6 25562-11-2-1-2-2 24602 I90 LH132
                     LH59 x LH123 RM06 25562-11-2-2-1-1 24604 I90
                     LH132
                     LH59 x LH123 RM@6 25562-11-2-2-1-2 24604 I90
                     LH132
                     LH59 x LH123 RM@6 25562-11-2-3-1-1 24606 I90
LH132
                     LH59 x LH123 RM@6 25562-11-2-3-1-2 24606 I90
                      LH132
                     LH59 x LH123 RM@6 25562-11-2-3-3-1 24608 I90
22299
                      LH132
22300
22301
                     LH59 x LH123 RM@6 25562-11-2-3-3-2 24608 I90 LH132
22302
22303
22304
                     LH59 x LH123 RM@6 25562-22-1-1-2-1 24610 I90 LH132
                     LH59 x LH123 RM@6 25562-22-1-1-2-2 24610 I90
LH132
22305
```

#### RANGE 47 E-W

\*\*\*

41

22353

22354

```
22306
22307
                     LH59 x LH123 RM@6 25562-22-1-1-2-3 24610 I90
                      LH132
22307
22308
22309
22310
22311
22312
22313
22314
22315
                      LH59 x LH123 RM@6 25562-22-1-1-2-4 24610 I90
                      LH132
                     LH59
                      LH132
                      LH51
                      LH132
                      LH181
                      LH132
22316
22317
22318
                      LH59 x LH123 RM06 25562-22-1-1-3-1 24611 I90
LH132
                      LH59
                           × LH123 RM@6 25562-22-1-1-3-2 24611 I90
                     LH132
LH59 × LH123 RM@6, 25562-22-1-1-3-3 24611 I90
LH132
                      LH59 x LH123 RM@6 25562-22-1-1-3-4 24611 I90
22323
                      LH132
                      LH59 x LH123 RM@6 25562-22-1-2-1-1 24612 I90
                      LH132
                      LH59 x LH123 RM@6 25562-22-1-2-1-2 24612 I90
22326
                      LH132
                      LH59 x LH123 RM@6 25562-22-1-3-1-1 24614 I90
                      LH132
22330
                      LH59 x LH123 RM06 25562-22-1-3-1-2 24614 I90
22331
                      LH132
22332
                      LH59 x LH123 RM@6 25562-22-1-3-3-1 24615 I90
22333
                      LH132
22334
                     LH59 x LH123 RM@6 25562-22-1-3-3-2 24615 I90
LH132
22336
22337
                      LH59 x LH123 RM06 25562-22-1-3-3-3 24615 I90
                      LH132
LH59 x LH123 RM@6 25562-22-1-3-3-4 24615 I90
                      LH132
                      LH59 × LH123 RM@6 25562-25-1-1-1-1 24616 I90
LH132
22342
22343
                      LH59 x LH123 RM@6 25562-25-1-1-1-2 24616 I90
                      LH132
                      LH59 x LH123 RM06 25562-25-1-1-1-3 24616 I90
22345
                      LH132
                      LH59 x LH123 RM@6 25562-25-1-1-2-1 24617 I90
22347
                      LH132
22348
                      LH132
22349
                      LH132
22350
                      LH132
22351
22352
                      LH132
```

LH132

LH132 LH132 LH132

#### HEST HET IEN MIDSERY

24578 24579 24580 24581	LH127 LH127 LH59 × LH123 RM@5 LH59 × LH123 RM@5	25562-1-2-1-1 26509	
22455888901234556789012344559999999999999999999999999999999999		0000911111335555555555555555555555555555	SRH ==EMM H9900000000000000000000000000000000000
Border Border Border Border	LH206 LH206 LH206		

rrrrrrrr8901234567890127eeeeeeee11222222222233377eeeeeeeeee112222222222	LH59 LH59 LH59 LH59 LH59 LH59	33333333333333333333333333333333333333	RM@5 RM@5 RM@5 RM@5	2555622-1-23 2555622-1-1-23 2555622-22555-1-22 2555622-22555-1-22 2555622-22555-1-22 2555622-22555-1-22 25555622-22 25555622-22 25555622-22 25555622-22 25555622-22 25555622-22 25555622-22 25555622 225555622	911113335577779911 55555555555555555555555555555	HH990000000000000000000000000000000000
24631 24632 24633	LH59 LH59 LH59 LH59 LH59	× LH123 × LH123 × LH123 × LH123	F. 64 19 -	25562-32-2-1-1 25562-32-2-1-2 25562-32-2-2-2 25562-32-2-2-3	26549 26549 26551 26551	H90 H90 H90 H90
24633345 246633567 246633789 246640 246640	LH59- LH59 LH59 LH59 LH59 LH59 LH59	% LH123 1 26553 1 26553 2 LH123 2 LH123 2 LH123 2 LH123 2 LH123	RM@5 RM@5 RM@5 RM@5	25562-37-1-2-1 25562-37-1-2-2 25562-37-1-2-3 25562-37-2-1-1 25562-37-2-1-2 25562-37-2-1-3	26555 26555 26555 26557 26557 26557 26557	H90 H90 H90 H90 H90

Page 408 31-Jan-90

EH

26573

26574

LH74

**LH74** 

LH59 x LH123 RH84 25562-40-4-1 23750 H89

.: ۵۵

∴ડ્ડ

3								
en'	; Foundation	Seeds					Page 36	
			2AB4	SHORT (38)			0-3Aus6	39
		B73 x LHE136						
88 69 70		B73 x LHE136 LH59 x LH123	-RM23	25562-1-1	18331	188	*EH	
71		B73 x LHE136 LH59 x LH123					*EH	•
777774		B73 x LHE136 LH59 x LH123					*FM	
ž :	RANGE 53 H-							
A 万		873 x LHE136						
76		LH59 x LH123 B73 x LHE136	RHe3	25562-1-4	18331	188	*EM	
77 78		LH59 x LH123 B73 x LHE136	RMe3	25562-3-1	18333	188	*EH	
79 80		LH59 x LH123 B73 x LHE136	RM@3	25562-3-2	18333	188	*Eň	
881 881 882 883 884 885 886 887 888 889 889 889 889 889 889 889 889		LH59 x LH123 873 x LHE136	RH@3	25562-4-1	18334	198	₩3¥	
84 84 85		LH59 x LH123 B73 x LHE136	RHe3	25562-7-1	18337	188	#EH	
86		LH59 x LH123 B73 x LHE136	RMQ3	25562-7-2	18337	188	*Eif	
88		LH59 x LH123 B73 x LHE136	RNe3	25562-9-1	18339	188	¥E∦	
90		LH59 x LH123 B73 x LHE136	RM03	25562-9-2	18339	188	*FM	
92		LH59 x LH123 873 x LHE136	RM83	25562-9-3	18339	188	¥E∦	
94		LH59 x LH123 B73 x LHE136	RH03	25562-11-1	18341	188	*EH	
96 197		LH59 x LH123 B73 x LHE136	RH03	25562-11-2	18341	188	*EM	
97 198 199		LH59 x LH123	RMP3	25562-11-3	18341	188	*EH	
177 100 101		373 x LHE136 LHS9 x LH123	RM@3	25562-13-1	18343	188	*EH	
702		873 x LHE136 LH59 x LH123	RHO3	25562-13-2	18343	188	*EH	
/03 /04		B73 x LHE136 LH59 x LH123	RMe3	25562-13-3	18343	188	*E.M	
	RANGE 54 E-	H						
705		B73 x LHE136						
706 707		LH59 x LH123 D73 x LHE136					*EH	
708 709		LH59 x LH123 B73 x LHE136		•	•		*EH	
/10 /11		LH59 x LH123 B73 x LHE136	RM@3	25562-17-2	19347	188	*EM	
/12 /13		LH59 x LH123 B73 x LHE136	RM@3	25562-21-1	18351	188	*EM	
04 (15		LH59 x LH123 B73 x LHE136	RM03	25562-22-1	18352	188 ·	*EH	ð
		LH59 x LH123 B73 x LHE136	RM23	25562-24-1	18354	188	*EM	
[18 [19		LH59 x LH123 B73 x LHE136	RM03	25562-24-2	18354	188	<b>*</b> E.14	
		LH59 x LH123 B73 x LHE136	RM23	25562-25-1	18355	188	¥EX .	
		LH59 x LH123 B73 x LHE136	RM03	25562-25-2	18355	188	¥FM	
		LH59 x LH123	RMØ3	25562-31-1	18361	I88	*EM	
ת מו		873 x LHE136 LH59 x LH123	rhe3	25562-31-2	18361	I88	¥E <del>ň</del>	
28		873 x LHE136 LH59					*EM	
130 131		B73 x LHE136 LH59 x LH123	RMP3	25562-32-1	18362	188	*EM	
ELE		B73 x LHE136 LH59 x LH123	RM23	25562-32-2	18362	188	*EH	
		873 x LHE136 LH59 x LH123					*EH	
	PANCE							•

#### ECKHOLH NURSERY

```
ECXHOLM NURSERY

LH63 x LH51 MAP2 25602-86 H98
LH63 x LH51 MAP2 25602-87 H88
LH63 x LH51 MAP2 25602-89 H98
LH63 x LH51 MAP2 25602-90 H98
LH63 x LH51 MAP2 25602-91 H88
LH63 x LH51 MAP2 25602-91 H88
LH63 x LH51 MAP2 25602-92 H88
LH63 x LH51 MAP2 25602-97 H88
LH63 x LH51 MAP2 25602-100 H98
LH63 x LH51 MAP2 25602-101 H88
LH63 x LH51 MAP2 25602-101 H88
LH63 x LH51 MAP2 25602-103 HP8
LH63 x LH51 MAP2 25602-107 HP8
LH63 x LH51 MAP2 25602-111 HP8
                  19287
19288
19299
19290
19291
19292
19293
19295
19296
19297
18298
19299
18300
                     18301
                     18302
18303
                  18304
19305
18306
                         19307
                     18308
                  19309
18310
18311
                     18312
18313
                         19314
                     18315
Border
Border
```

#### RANGE 10 N-S

Border Border 18317 18318 18319 18320 18321 18322 18323 18324 18325 18326 18327 18327 18329 18330	873 x LH132 B73 x LH132 LH63 x LH51 HA02 25602-115 H99 LH63 x LH51 HA02 25602-116 H89 LH63 x LH51 HA02 25602-117 H99 LH63 x LH51 HA02 25602-119 H99 LH63 x LH51 HA02 25602-119 H99 LH63 x LH51 HA02 25602-120 H89 LH63 x LH51 HA02 25602-121 H98 LH63 x LH51 HA02 25602-121 H98 LH63 x LH51 HA02 25602-123 H99 LH63 x LH51 HA02 25602-123 H99 LH63 x LH51 HA02 25602-125 H89 B73 x LH132 B73 x LH132 B73 x LH132 B73 x LH132 B73 x LH132
18331 18332 18333 18334 18335 18336 18337 18339 18339 18340 18341 18342 18343 18344 18344 18345 18345 18347 18348 18347 18350 18351 18351 18352 18353	LH59 × LH123 RH02 25562-1 H88 LH59 × LH123 RH02 25562-2 H88 LH59 × LH123 RH02 25562-3 H88 LH59 × LH123 RH02 25562-4 H88 LH59 × LH123 RH02 25562-4 H88 LH59 × LH123 RH02 25562-6 H88 LH59 × LH123 RH02 25562-6 H88 LH59 × LH123 RH02 25562-7 H88 LH59 × LH123 RH02 25562-10 H88 LH59 × LH123 RH02 25562-10 H88 LH59 × LH123 RH02 25562-11 H88 LH59 × LH123 RH02 25562-11 H88 LH59 × LH123 RH02 25562-11 H88 LH59 × LH123 RH02 25562-15 H88 LH59 × LH123 RH02 25562-14 H88 LH59 × LH123 RH02 25562-14 H88 LH59 × LH123 RH02 25562-15 H88 LH59 × LH123 RH02 25562-16 H83 LH59 × LH123 RH02 25562-16 H83 LH59 × LH123 RH02 25562-17 H88 LH59 × LH123 RH02 25562-19 H89 LH59 × LH123 RH02 25562-20 H88 LH59 × LH123 RH02 25562-21 H88 LH59 × LH123 RH02 25562-25 H88

# Golden's Foundation Seeds TAHURA 3A2 (87) LH60 x LH51 GA@1 34858 187 LH60 x LH51 GA@1 34858 187 LH60 x LH51 GA@1 34858 187 20520 20521 LH60 x LH51 GA@1 34858 187 LH152 x LH60 GA@1 34856 187 LH152 x LH60 GA@1 34886 187 25522 2526 2527 2528 2529 2531 2531 2531 2533 2533 2533 2535 RANGE 5 W-E LH152 x LH60 GAP1 34686 I87 LH152 x LH60 GAP1 34886 I87 2536 2537 2538 25539 25540 25542 25543 25547 25547 25550 25550 25550 25550 25550 25555 25555 LH152 x LH60 GA@1 34886 IS7 RANGE & E-W LH152 x LH60 GA@1 34886 187 LH59 x LH123 RH@1 34841 187 25556 25557 25558 25559 25560 25561 25562 25563 25564 25565 25565 25566 25567 25567 25568 25569 25570 25571 25572 25573 25575 RANGE 7 W-E 2576 2577 2578 LH59 x LH123 RH01 34841 187 LH59 x LH123 RH01 34841 187 LH59 x LH123 RH01 34841 187 23/8 23/79 25/80 25/81 25/82 25/83 25/83 25/83

LH59 x LH123 RH01 34841 187

LH59 x LH123 RH01 34841 187 LH59 x LH123 RH01 34841 187 LH59 x LH123 RH01 34841 187 LH59 x LH123 RH01 34841 187

LH59 & LH123 RH21 34841 187

#### WEST WETJEH NURSERY

34799	LH61 x W117
34800	LH61 x LH82
34801	LH61 x LH64
34802	LH61 x LH93
34803	LH61 x LH63
34804	LH62 x W117
34805	LH62 x LH54
34806	LH62 x LH57
34807	LHS2 x LH64
34808	LH62 x LH93
3480 <del>9</del>	LHS2 x LHS3
34810	E24 x CH105
34811	LH142 x CH105
34812	LH142 x A6J2
34813	LH142 x NA5
34814	LH142 x B73
34815	LH142 x DJ7
34816	NA5 x LH146
34817	NA5 x LH74
34818	LH54 x W117
34819	LH54 x LH59
34820	LH82 x LH94A
34821 34822	LH82 x LH156
34823	LH82 x LH62 LH82 x LH63
34824	LH91 x LH85
34825	LH91 x LH83
34826	LH91 x LH57
34827	LH91 x LH7
34828	LHS7 x LH94A
34829	LHS7 x LH40
34830	LHS7 x D47-1
34831	LH64 x LH54
34832	LH64 x LH82
34833	LH64 x LH91
34834	LH64 x LH38
	2

### RANGE 51 W-E

34835	LH64 x LH51
34836	LH64 × LH123
34837	LH59 x LH64
34838	LH59 x LH38
34839	LH59 x LH63
34840	LH59 x LH51
34841	LH59 x LH123
34842	LH59 x LH122
34843	LHJ8 x LH59
34844	LH38 × LH63
34845	LH105 x LH39
34846	LH93 × LH94A
34847	LH95 x LH82
34848	LH95 x LH93
34849	LH94 × LH94A
34850	LH95 x LH57
34851	LH63 × LH54
34852	LH63 x LH57
34853	LH63 x LH64
34854	LH33 x LH51
34855	LH63 x LH123
34856	LH60 × LH40
34857	THRO × THRR
34858	LH60 x LH51
34859	LH60 x LH50
34860	Ex1204 x LH50
34851	LH30 x LH156
34862	
34863	Ex1204 x LY51
34864	LH50 x LH58
34865	LH123 x LH36
34866	Ex1196 x LH57
34867	Ex1196 x LH64
34868	Ex1196 x LH50
34869	Ex1196 x LH153
74870	Fy1196 x LH152

```
hiden's Foundation Seeds
                                                                                                                       Page 6
                                                                                                                      89-1uL-80
                                                       NORTH WETJEN NURSERY
   五480
五481
五482
                                      A632
E24
                                      LH142
               RANGE 7 N-S
 12483
12484
12485
12486
12487
12489
12489
12490
                                      NA5
LH54
                                      LH82
                                      LH82
                                      LH91
                                      LH91
                                                                                                                     #EX
                                      LH39
                                      LH57
LH57
LH57
LH64
12491
12491
12494
12494
12494
12497
12497
12501
12501
12501
12501
12501
12501
12501
                                                                                                                     #EH
                                      LH64
                                                                                                                     $EH
                                     1459
1459
1438
                                                                                                                     K3#
                                      LH105
                                      H99
H99
                                                                                                                     #1L
                                      LH74
                                     LH74
LH5-50
LH58
                                      LH93
  32506
                                      LH94A
   32507
32508
32509
                                      LH95
                                      LH109
                                      LH40
   32510
32511
32512
                                      LH40
                                                                                                                     #EH
                                      LH24
                                      CB596
   32513
32514
                                      LH7
                                      LH119
                                     LHE136
B73
    32515
                                      B84
32518
32519
32520
32521
32522
32522
32523
32525
32525
32526
32527
32528
32529
32529
                                      LH63
                                      LH63
                                                                                                                     *EM
                                      LH60
                                                                                                                     XEX
                                      LH60
                                      Ex1204
                                      LH51
                                     LH51
                                                                                                                     #EX
                                      LH50
                                      Ho17
                                     LH153
LH152
LH123
                                     LH123 }
32531
32532
32533
                                     Ex1196
LH117
NC250
                                      H93
  32535
                                      H100
                                     LH150
LH156
   32538
32539
32540
32541
32542
                                      LH156
                                     LH47 x Pa875
Pa875 x LH51
LH152 x LH123
                                      NC250 x B68
   32543
                                      LHE136 x NC250
                                      88 Rows of Waterway
               RANGE 8 S-N
                                     91 Rows of Waterway
32544
32545
32546
32547
                                     NC250 x H100
```

LHE136 x LH1 H84 x NC250 H93 x NC250

## Novelty Statement

### Exhibit B

LH185 most closely resembles LH59, however, the most distinguishing characteristic is ear length. LH185 is longer in ear length than LH59. Enclosed is data collected at Williamsburg, lowa, during the 1993 growing season comparing the ear lengths of LH185 and LH59 at 45 observations. The data suggests a significant difference at the 1% probability level according to a paired T test. Means show that on average LH185 is shorter in ear length than LH59.

LH185 vs LH59 : Ear Length 1993

TOTAL	OBSERVATIONS:	
-------	---------------	--

	_
л	~


LH185	LH59	NR1
45	45	45
	15.000	-2.194
	21.000	1.832
	6.000	4.026
12.178	18.000	-0.065
4.422	2.500	0.947
2.103	1.581	0.973
0.313	0.236	0.145
-0.400	-0.140	-0.339
-0.577	-0.717	-0.382
548.000	810.000	-2.946
0.173	0.088	-14.867
12.000	18.000	-0.080
	45 7.000 15.000 8.000 12.178 4.422 2.103 0.313 -0.400 -0.577 548.000 0.173	45


PAIRED SAMPLES T-TEST ON LH185 VS LH59 WITH 45 CASES

MEAN DIFFERENCE = -5.822 SD DIFFENCE = 2.831 T = 3.797 DF = 44 PROB = 0.000

EXPECTED VALUE

NORMAL PROBABILITY PLOT, N = 45





FORM GR-470-28 (2-15-74)

# UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION

EXHIBIT (

HYATTSVILLE, MARYLAND 20782

## OBJECTIVE DESCRIPTION OF VARIETY

CURN (ZEA MATS)	
HOLDEN'S FOUNDATION SEEDS, INC.	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	P VPO NUMBER
201 N. MAPLEWOOD AVENUE	VARIETY NAME OF THE PARTY OF TH
WILLIAMSBURG, IA 52361	OESIGNATION
WILDIAMSBURG, IA 52501	LH185
Place the appropriate number that describes the varietal character of this variety in the	have below
Place a zero in first box (e.s. 0 8 9 or 0 9 ) when number is either 99 or less or	9 or less.
1. TYPE:	
2 1 = SWEET 2 = DENT 3 = FLINT 4 = FLOUR 5 = PC	DP 6 = ORNA. :ENTAL
2. REGION WHERE BEST ADAPTED IN THE U.S.A.:	
2 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST 5 = SOUTHCENTRAL 6 = SOUTHWEST 7 = MOST REGIONS	4 = SOUTHEAST
	comments" (pg. 3) state how s were calculated)
DAYS FROM EMERGENCE TO 50% OF PLANTS IN SILK	HEAT UNITS
	5   5
DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALITY	HEAT UNITS
DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE	HEAT UNITS
4. PLANT:	
[ <del></del>	
1 6 3 CM. HEIGHT (To tassel tip)	3 5 CM. EAR HEIGHT (To base of top ea.
1 3 CM, LENGTH OF TOP EAR INTERNODE	•
1 13 CM. LENGTH OF TOP EAR INTERNODE	
•	
Number of Tillers: Number of Ears Per Stalk:	
1 1= NONE 2=1-2 3=2-3 4= \3 1 1=SINGLE 2=	SLIGHT TWO-EAR TENDENCY
	EAR TENDENCY 4 THREE-EAR TENDENC
Cytoplasm Type:	
1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER	(Specify)
5. LEAF (Field Corn Inbred Examples Given):	
Color: *7.5GY 3/4 MUNSELL COLOR CHARTS FOR PLANT TISSUES	
* 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE	EN (B14) 4 = VERY DARK GREEN (K16
Angle from Stalk (Upper half): Sheath Pubscence:	
2 $1 = < 30^{\circ}$ $2 = 30-60^{\circ}$ $3 = > 60^{\circ}$ 1 $1 = Light($	
3 = HEAVY	(OH26)
Marginal Waves: Longitudinal Creases:	
2 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSENT	(OH51) 2 = FEW (OH56A)
2 12 NONE (AT) 22 PEW (WF3) 3 - MANY (8172) 2 3 - MANY (8	
Width: Length:	
0 8 CM. WIDEST POINT OF EAR NODE LEAF 0 5 9 CM. EA	AR NODE LEAF
	•

2 NUMBER OF LEAVES PER MATURE PLANT

	· · · · · · · · · · · · · · · · · · ·		
ORM GR-470-28			Page 2 of :
6. TASSEL:	•	•	
0 4	NUMBER OF LATERAL BRANCHES		
Branch Ang	le from Central Spike: pe	enduncie Length:	
2	1 = < 30° 2 = 30-40° 3 = > 45°	0 3 CM. FROM TO	OP LEAF TO BASAL BRANCHES
Pollen Shed	:	•	
2	1 = LIGHT (WF9) 2 = MEDIUM	3 = HEAVY(KY21)	
1	Anther Color: Glume Color: 1 = YELLOW 2 = PINK 6 = OTHER (Specify)	3 = RED 4 = 1	PURPLE 5 <b>-</b> Green
Pollen Rest	oration for Cytoplasms (o = Not Tested, 1 = Partial, 2 = Good		•
От	0 "s" 0 "с" 0 отн	ER (Specify Cytoplasm and degre	es of restoration)
7. EAR (Husi	ked Ear Data Except When Stated Otherwise):		
1 2	CM LENGTH 3 5 MM. MID-POINT DIAMETER	3 8 GM. WEIGHT	
Kernel Row	s:		
2	1 = INDISTINCT 2 = DISTINCT	1 0 NUMBER	
	1 = STRAIGHT 2 = SLIGHTLY CURVED	3 = SPIRAL	
Silk Color (	Exposed at Silking Stage):	• .	
1	1 = GREEN 2 = PINK 3 = SALMON	4 = RED	
Husk Color:			
1	FRESH ) 1 = LIGHT GREEN	2 = DARK GREEN	3 = PINK
6	DRY ) 4 = RED 5 = PURF	LE 6 = BUFF	
Husk Extent	tion: (Harvest Stage) Hu	sk Leaf:	
[3] 3 = L(	HORT (Ears Exposed) 2 = MEDIUM (Barely Covering Ear) DNG (8-10CM Beyond Ear Tip) ERY LONG (> 10 CM)	1 = SHORT (<8 3 = LONG (>15	CM) 2 = MEDIUM (815 CM)
Shank:		sition at Dry Husk Stage:	
0 5	CM LONG 8 NO. OF INTERNODES	1 = UPRIGHT	2 = HORIZONTAL 3 = PENDENT
Taper:	Dr	ying Time (Unhusked Ear):	
1	1 = SLIGHT 2 = AVERAGE 3 = EXTREME	2 1 = SLOW	2 = AVERAGE 3 = FAST
8. KERNEL (D			
Size (From I	Ear Mid-Point):		
Share S	MM LONG 1 0 MM. WIDE 0	4 MM, THICK	
Shape Grade	1 = / 20 2 2 20 40 . 2 3 40 60		

_ * # #		_	·			,		
ORM GR-470-						) .		Page 3 of
4	Pericarp Color:	1 = COLORLESS 5 = BROWN	_	ED-WHITE CRO	own	3 = TAN 7 = CHERR	4 = 8801 Y RED	NZE
		8 - VARIEGATE	D (Describe)	•			<b>-</b> .	
	Aleurone Color:	1 = HOMOZYGO	us 2	= SEGREGATIN	G (Describe	o)		
	1 = WHITE	2 = PINK	3 = TAN	. 4	- BROWN		5 = BRONZE	6 = RED
Ш	7 = PURPLE	8 = PALE PU	APLE 9	= VARIEGATE	D (Describe)			
3	Endosperm Color:	1 = WHITE	2 = PALE YEL	.LOW 3='	YELLOW	4 = PINK-	ORANGE 5	= WHITE CAP.
Endosper	m Type:							
3	1 = SWEET (su1)		TRA SWEET (sh2		ORMAL ST		4 = HIGH AMYLO	
	5 = WAXY STARC	;H 6 = HI0	3H PROTEIN	7 = 1	HIGH LYSIN	1E		
2 7	GM. WEIGHT /100	) SEEDS (Unsized :	Sample)					
9. COB:	MM. DIAMETER	AT MID-POINT						÷
Strength	:			Color:				
2	1 = WEAK	2 = STRONG		111		_	= RED 4 = B	
10. DISEAS	E RESISTANCE (O	= Not Tested, 1 = 5	Susceptible, 2 = Re	cistant): TOLE	ERANT			
	STALK ROT (Dip	lodia)		ROT (Fusarium)		0	STALK-ROT (C	ibberella)
2	NORTHERN LEA	FBLIGHT	2 south	ERN LEAF BLIC	ЭНТ	0	SMUT	
<u>_</u>	SOUTHERN RUS	т	0 CORNS	TUMS		0	BACTERIAL W	ILT
0	BACTERIAL LEA	F BLIGHT	0 MAIZE	DWARF MOSAI	С	0	STUNT	
2	OTHER (Specify)	E & GRAY LEA	F SPOT					
	RESISTANCT (O =			istant):				
	CORNBORER	0	EARWORM		0 s	APBEETLE	0	APHIO
	ROOTWORM (No	rthern) 0	ROOTWORM (We	stern)				
0	ROOTWORM (So	uthern)	OTHER (Specify)				*	
12. VARIET	TIES MOST CLOSE	LY RESEMBLING	THAT SUBMITTE	D FOR THE CH	ARACTERS	GIVEN:		

CHARACTER	VARIETY	CHARACTER	VARIETY
Maturity	LH59	Kernel Type	LH59
Plant Type	LH59	Quality (Edible)	
Ear Type	LH59	Usage	LH59

#### REFERENCES:

U.S. Department Agriculture. Yearbook 1937.

Corn: Culture, Processing, Products. 1970 Avi Publishing Company, Westport, Connecticut. (Numerous (Authors) Emerson, R.A., G.W. Beadle, and A.C. Fraser. A Summary of Linkage Studies in Maize. Cornell A.E.S., Mem. 180. 1935. The Mutants of Maize. 1968. Crop Science Society of America. Madison, Wisconsin.

Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S. Bul. 831. 1959.

Butler, D.R. 1954 - A System for the Classification of Corn Inbred Lines - PhD. Thesis, Ohio State University.

COMMENTS:

 $GDD = \frac{Tmax + Tmin}{2}$ 

Tmax ≤ 86°F Tmin ≥ 50°F

## Additional Description of the Inbred

#### Exhibit D

LH185 is a medium season field corn inbred. LH185 flowers 1-2 days earlier than LH59 and appears to be a good pollinator. LH185 has shown very good tolerance to Northern Leaf Spot Race 3 and Gray Leaf Spot. LH185 has exhibited excellent tolerance to leaf Anthracnose, Northern Leaf Blight and Southern Leaf Blight.

Compared to LH59 crosses, LH185 hybrids were substantially higher yielding with equal to slightly higher harvest moisture. Stalk quality and corn borer tolerance is also improved. The ears of LH185 hybrids are shorter and girthier than comparable LH59 hybrids. LH185 hybrids are best adapted to the central corn belt.

## Statement of the Basis of Applicant Ownership

## Exhibit E

Holden's Foundation Seeds, Inc., Williamsburg, Iowa, is the sole owner and breeder of the LH185 corn inbred line for which it solicits a certificate of protection.

